Logiciel

optimizeVideo : Remplace une vidéo par sa plus petite version sans perte de qualité perceptible

optimizeVideo-master/install-uninstall.sh

```bash
#! /bin/bash

: '
=== HOW TO RUN ===

For running this installer, in the application "Terminal" type:
"/pathToThisFolder/install-uninstall.sh"

For a list of programs installed like this type:
ls /etc/install-uninstall


=== PURPOSE ===

This installer is mostly for trying out the software
If you end liking it, ask someone how to package it

If your system includes the app "pacman", you can get those
packages at:
https://gitlab.com/es20490446e/express-repository/-/wikis/home


=== LEGALESE ===

Installer by Alberto Salvia Novella (es20490446e.wordpress.com)
Under the latest GNU Affero License
https://gitlab.com/es20490446e/install-uninstall.sh
'


# For testing the installer:
update="true"
simulate="false"
clean="false"

# Others:
here="$(realpath "$(dirname "${0}")")"
program="$(cd ${here}; echo ${PWD##*/})"
in="${here}/root"
```

```bash
etc="etc/install-uninstall"
lists="${etc}/${program}"
fileList="${lists}/files"
dirList="${lists}/dirs"


mainFuntion () {
    if [ ! -d "${out}/${lists}" ]; then
        checkDependencies
        builds
        installs
    else
        uninstalls
    fi
}


builds () {
    if [ ! -d "${in}" ] && [ -f "${here}/build.sh" ]; then
        bash "${here}/build.sh"
        chown --recursive "$(logname)" "${in}"
    fi

    if [ ! -d "${in}" ] && [ -f "${here}/build.sh" ]; then
        echo "build.sh hasn't built anything on: ${in}" >&2
        exit 1
    fi
}


checkDependencies () {
    list="${here}/info/dependencies.txt"

    if [ -f "${list}" ]; then
        readarray -t lines < <(cat "${list}")
        missing=()

        for line in "${lines[@]}"; do
            name=$(echo "${line}" | cut --delimiter='"' --fields=2)
            path=$(echo "${line}" | cut --delimiter='"' --fields=4)
            web=$(echo "${line}" | cut --delimiter='"' --fields=6)

            if [ ! -z "${web}" ]; then
                web="(${web})"
            fi

            if ! $(ls $path &> /dev/null); then
```

```bash
                missing+=("${name}   ${web}")
            fi
        done

        if [ ! -z "${missing}" ]; then
            echo "Missing required software:" >&2
            echo >&2
            printf '%s\n' "${missing[@]}" >&2
            echo >&2
            echo "Get those installed first"
            echo "and run this installer again"
            exit 1
        fi
    fi
}


checkPermissions () {
    if [ "${simulate}" == "false" ] && [ "$(id -u)" -ne 0 ]; then
        sudo "${0}"
        exit ${?}
    fi
}


cleanUp () {
    if [ "${clean}" == "true" ]; then
        if [ ! -z "${out}" ] && [ -d "${out}" ]; then
            rm --recursive "/${out}"
        fi
    elif [ "${clean}" != "false" ]; then
        invalidVariable "clean"
    fi
}


createLists () {
    if [ ! -d "${lists}" ]; then
        mkdir --parents "${out}/${lists}"
    fi

    echo "${fileList}" > "${out}/${fileList}"
    echo "${dirList}" >> "${out}/${fileList}"
    echo "${etc}" > "${out}/${dirList}"
    echo "${lists}" >> "${out}/${dirList}"
}


dirsInFolder () {
    folder="${1}"
```

```
        dirs=$(
            cd "${folder}"
            find . -type d |
            cut --delimiter='/' --fields=2-
        )

        echo "${dirs}" | tail -n +2
}


fileMime () {
        file="${1}"

        file --brief --mime "${file}" |
        cut --delimiter=';' --fields=1
}


fileParents () {
        file="${1}"

        echo ${file} |
        rev |
        cut --delimiter='/' --fields=2- |
        rev
}


installFile () {
        file="${1}"

        if [ "$(fileMime "${in}/${file}")" == "inode/symlink" ]; then
            installSymlink "${file}"
        else
            install -D "${in}/${file}" "${out}/${file}"
        fi
}


installSymlink () {
        symlink="${1}"
        target="$(realpath "${in}/${symlink}")"

        makeParents "${symlink}"
        ln --symbolic --force "${target}" "${out}/${symlink}"
}


installs () {
```

```bash
    readarray -t files < <(toInstall)
    createLists

    for file in "${files[@]}"; do
        installFile "${file}"
        echo "${file}" >> "${out}/${fileList}"
    done

    dirsInFolder "${in}" >> "${out}/${dirList}"
    echo "installed"
}


invalidVariable () {
    variable="${1}"

    echo "The variable \"${variable}\" has an invalid value" >&2
    echo "It can either be \"true\" or \"false\""
    exit 1
}


makeParents () {
    file="${1}"
    parents="$(fileParents "${file}")"
    mkdir --parents "${out}/${parents}"
}


prepareEnvironment () {
    set -e
    updateInstaller
    setOut
    checkPermissions
    trap "" INT QUIT TERM EXIT
    cleanUp
}


setOut () {
    if [ "${simulate}" == "false" ]; then
        out=""
    elif [ "${simulate}" == "true" ]; then
        out="${here}/simulated install"
    else
        invalidVariable "simulate"
    fi
}


toInstall () {
```

```bash
    toInstall=$(
        cd "${here}/root"
        find . -not -type d |
        cut --delimiter='/' --fields=2-
    )

    echo "${toInstall}"
}


uninstalls () {
    readarray -t files < <(cat "${out}/${fileList}")
    readarray -t dirss < <(cat "${out}/${dirList}")

    for file in "${files[@]}"; do
        rm "${out}/${file}"
    done

    for dir in "${dirss[@]}"; do
        if [ -d "${out}/${dir}" ] && [ -z "$(find "${out}/${dir}"
-not -type d)" ]; then
            rm --recursive --force "${out}/${dir}"
        fi
    done

    if [ ! -z "${out}" ] && [ -z "$(find "${out}" -not -type d)"
]; then
        rm --recursive "/${out}"
    fi

    echo "uninstalled"
}


updateInstaller () {
    if [ "${update}" == "true" ]; then
        remote="$(curl --silent
"https://gitlab.com/es20490446e/install-uninstall.sh/-/raw/master/
install-uninstall.sh")"
        local="$(cat "${0}")"

        if [ -z "${remote}" ]; then
            if [ -z "$(curl --silent google.com)" ]; then
                echo "No Internet, which is required" >&2
            else
                echo "Cannot get the updated installer" >&2
                echo "Ask developers to fix this"
            fi
```

```
            exit 1
        fi

        if [ "${remote}" != "${local}" ]; then
            echo "${remote}" > "${0}"
            sudo "${0}"
            exit ${?}
        fi
    elif [ "${update}" != "false" ]; then
        invalidVariable "update"
    fi
}


prepareEnvironment "${@}"
mainFuntion
```

Modofier comme ceci :

optimizeVideo-master/info/dependencies.txt

```
"ffmpeg"   "/usr/bin/ffmpeg"
"libvpx-dev"   "/usr/share/doc/libvpx-dev/copyright"
"libopus-dev"   "/usr/share/doc/libopus-dev/copyright"
"args"   "/usr/bin/args"   "https://gitlab.com/es20490446e/args"
"solve"   "/usr/bin/solve"   "https://gitlab.com/es20490446e/solve"
```

Pré-requis

Installez ffmpeg

```
...@...:~$ sudo apt install ffmpeg
```

Installez yasm

```
...@...:~$ sudo apt install yasm
```

Installez doxygen

```
...@...:~$ sudo apt install doxygen
```

Installez curl

```
...@...:~$ sudo apt install curl
```

Installez coreutils

```
...@...:~$ sudo apt install coreutils
```

Installez libvpx-dev

```
...@...:~$ sudo apt install libvpx-dev
```

Installez libopus-dev

```
...@...:~$ sudo apt install libopus-dev
```

args :

```
...@...:~ $ cd ~/tmp
...@...:~/tmp$ curl -O
https://gitlab.com/es20490446e/args/-/archive/master/args-master.zip
...@...:~/tmp$ unzip args-master.zip
...
...@...:~/tmp$ cd args-master/
...@...:~/tmp/args-master$ ./install-uninstall.sh
installed
```

solve :

```
...@...:~ $ cd ~/tmp
...@...:~/tmp$ curl -O
https://gitlab.com/es20490446e/solve/-/archive/master/solve-master.zip
...@...:~/tmp$ unzip solve-master.zip
...
...@...:~/tmp$ cd solve-master/
...@...:~/tmp/solve-master$ ./install-uninstall.sh
installed
```

Installation

```
...@...:~/tmp$ cd optimizeVideo-master
...@...:~/tmp/optimizeVideo-master$ ./install-uninstall.sh
installed
```

Configuration

Utilisation

```
...@...:~ $ optimizeVideo mavideo.mp4
```

Désinstallation

```
...@...:~/tmp$ cd optimizeVideo-master
...@...:~/tmp/optimizeVideo-master$ ./install-uninstall.sh
uninstalled
```

Problèmes connus

Voir aussi

  * **(fr)** http://Article

Basé sur « Article » par Auteur.

From:
https://nfrappe.fr/doc-0/ - **Documentation du Dr Nicolas Frappé**

Permanent link:
https://nfrappe.fr/doc-0/doku.php?id=logiciel:multimedia:video:optimizevideo:start

Last update: **2022/08/13 22:14**